



category	absorber
description	trap30S and R®
part code	T3S120 / T3R120



Foam colours:

T3S120 AND T3R120 LOW FREQUENCY ABSORPTION PANELS.

The Trap30S and Trap30R are low frequency noise reduction tools made from a high quality cell-controlled acoustic foam.

They are designed to be placed in room corners where the acoustic pressure and nodal responses are highest. They provide a quick easy fix for reducing low frequency problems especially when space is at a premium.

The range offers two models, one with straight wings and one with curved wings.

The panels are made of self-extinguishing M1 fire-retardant recyclable acoustic foam, which is UV-protected.

Features

- NRC average: 0.87/m² [>250Hz; <10kHz]
- Installation: glues included
- Self-extinguishing M1 fire-retardant foam
- Very easy to install
- Lightweight
- For wall and ceilings
- $\alpha_w = 0.80$
- Absorption class B
- **100% recyclable acoustic foam**



Technical data

Absorption Coefficient


Hz	50	63	80	100	125	160	200	250	315	400	500	630	800	1k	1.25k	1.6k	2k	2.5k	3.15k	4k	5k	6.3k	8k	10k	Average [>250Hz; <10kHz]
aS	0.00	0.02	0.06	0.11	0.39	0.58	0.70	0.80	0.77	0.63	0.71	0.80	0.87	0.94	0.95	0.93	0.89	0.91	0.91	0.93	0.94	0.95	0.95	0.97	0.87

Values in accordance with the Standards: ISO 354, ASTM C423 and EN 11654


Non standard values

Model Sizes:


	Height	Width	Depth	Kg
T3S120	120cm	30cm	30cm	0.9
T3R120	120cm	30cm	30cm	0.9



Technical Drawing: T3S120



Technical Drawing: T3R120



© 2009 Custom Audio Designs Ltd: No part of this information sheet may be reproduced in any form without the express written permission of Custom Audio Designs Limited. Check for later versions.

All information contained in these details is given in good faith but without warranty. Custom Audio Designs reserves the right to alter the specifications of any product without notice

